



3

Accessories for laying parquet and laminated flooring

- Profiles and Strips, Mico-Angles
- Skirting Boards
- Protective Office Mats
- Screws, Dowels, Nails







Metal profiles and strips



Transition Profiles

For transitions of the same height, for equalizing differences in altitude of up to 8 mm (5/16") and for floor covering thickness of 7-17.5 mm (1/4 - 11/16").

Illustrations for use Transition Profiles




Illustrations for use Adaption Profiles



Adaption Profiles

For equalizing differences in altitude of up to 17.5 mm (11/16"), ensuring smooth transition.




Illustrations for use Border Profiles



Border Profiles

For edges against walls and balcony doors



Width 43 mm (1 11/16")

Length 270 cm (8' 10 1/4 ")	
Alu-Silver	396 101 000
Alu-Gold	396 102 000
Alu-Sahara	396 103 000
pack of 10 pcs	price per pcs.

Length 90 cm (2' 11 3/8")

Alu-Silver	396 105 000
Alu-Gold	396 106 000
Alu-Sahara	396 107 000
pack of 10 pcs., SB-packed	price per pcs.

Width 38 mm (5/16")

Length 270 cm (8' 10 1/4 ")	
Alu-Silver	396 110 000
Alu-Gold	396 111 000
Alu-Sahara	396 112 000
pack of 10 pcs	price per pcs.

Length 90 cm (2' 11 3/8")

Alu-Silver	396 115 000
Alu-Gold	396 116 000
Alu-Sahara	396 117 000
pack of 10 pcs., SB-packed	price per pcs.

Width 50 mm (2 ")

Length 270 cm (8' 10 1/4 ")	
Alu-Silver	396 120 000
Alu-Gold	396 121 000
Alu-Sahara	396 122 000
pack of 10 pcs	price per pcs.

Length 90 cm (2' 11 3/8")

Alu-Silver	396 125 000
Alu-Gold	396 126 000
Alu-Sahara	396 127 000
pack of 10 pcs., SB-packed	price per pcs.

Width 28 mm (5/16")

Length 270 cm (8' 10 1/4 ")	
Alu-Silver	396 140 000
Alu-Gold	396 141 000
Alu-Sahara	396 142 000
pack of 10 pcs	price per pcs.

Length 90 cm (2' 11 3/8")

Alu-Silver	396 145 000
Alu-Gold	396 146 000
Alu-Sahara	396 147 000
pack of 10 pcs., SB-packed	price per pcs.

Quick and perfect installation in 4 steps



1. Fitting the base profile
Although glue may be used to fix the base profile to the sub floor, we strongly recommend using screws and dowels.

Align the base profile on the ground surface by allowing an expansion gap of at least 6 mm.

Through the provided screw holes in the base profile, use a 5mm (1/4") drill bit to drill the holes for the dowels into the sub floor.


The dowels can now be directly inserted into the sub floor through the screw holes in the base profile.



2. Fitting the cover piece
Insert the tongue of the cover piece into the groove of the base profile. The cover piece will automatically adjust to the flooring levels and ensure a smooth transition.



3. Selecting the correct screws
Establishing the correct screw length by inserting through one of the screw holes in the cover piece, the correct screw will jut out by 4-8 mm (1/4 - 3/8 ").



4. Fixing the cover piece
By using a drill/ screwdriver and applying light pressure, drive the screw at medium level of torque into the screw base of the base profile.



For dismantling take out the screw and drive it back in.

Metal profiles and strips

DOS -Aluminum-Profile System


Complete with DOS-Nylon dowels for parquet, laminated flooring and cork flooring.

Instead of base profiles and screws, the DOS-Profile-System uses DOS-Nylon dowels. Base profiles and screws are no longer needed!

Please see page 100 for separate orders of laminated dowels.

Transition Profile

For transitions of the same height and for equalizing differences in altitude of up to 6 mm (1/4")



Length 270 cm (8' 10 1/4")


Gold	390 700 000
Silver	390 701 000
pack of 10 pcs.	price per pcs.

Length 90 cm (2' 11 3/8")

Gold	390 705 000
Silver	390 706 000
pack of 10 pcs., SB-packed	price per pcs.

Adaption Profile

For equalizing differences in altitude from 4 to 15 mm (3/16 to 3/16").



Length 270 cm (8' 10 1/4")

Gold	390 710 000
Silver	390 711 000
pack of 10 pcs.	price per pcs.


Length 90 cm (2' 11 3/8")

Gold	390 715 000
Silver	390 716 000
pack of 10 pcs., SB-packed	price per pcs.

Ramp Profiles


Aluminium anodized, without holes

Width 28 mm (1 1/8") ideal for use of wheel-chairs or shopping carts.
Width 38 mm (1 1/2") also suitable for transportation trolleys or fork lift trucks.



Ramp Profile for floorcoverings of
Height approx. 2,5 - 5 mm (1/8 - 3/16")
Width 28 mm (1 1/8")
Length 270 cm (8' 10 1/4")

Silver	390 009 100
Sand	390 009 200
Stainless steel	390 009 300



Ramp Profile for floorcoverings of
Height approx. 5 - 7 mm (3/16 - 1/4")
Width 38 mm (1 1/2")
Length 270 cm (8' 10 1/4")

Silver	390 009 500
Sand	390 009 600
Stainless steel	390 009 700




Cover Strips

Centric drilled profile with countersunk holes, in protective foil.

(Price per pcs.)

Brass Cover Strip




Length 270 cm (8' 10 1/4")

30 mm (1 3/16") x 1 mm (1/16")	Order-No.	390 001 000
40 mm (1 9/16") x 1,2 mm (1/16")	Order-No.	390 015 000

Length 90 cm (2' 11 3/8")

30 mm (1 3/16") x 1 mm (1/16") SB	Order-No.	390 001 200
30 mm (1 3/16") x 1 mm (1/16") SB/SK	Order-No.	390 001 900

Stainless Steel Cover Strip



Length 270 cm (8' 10 1/4")


30 mm (1 3/16") x 1 mm (1/16")	Order-No.	390 006 000
--------------------------------	-----------	-------------

Length 90 cm (2' 11 3/8")

30 mm (1 3/16") x 1 mm (1/16") SB	Order-No.	390 006 200
30 mm (1 3/16") x 1 mm (1/16") SB/SK	Order-No.	390 006 900

SB = SB-packed with dowels and screws
SB/SK = SB-packed, adhesive

Aluminum Cover Strip anodized (also anodized inside the holes)



Width x Height:

30 mm (1 3/16") x 1.5 mm (1/16")

(Price per pcs.)

Length 270 cm (8' 10 1/4")

Silver	390 005 100
Sand	390 004 300
Stainless steel	390 004 100

Length 90cm (2' 11 3/8") SB/SK

Silver	390 005 300
Sand	390 005 800
Stainless steel	390 005 700

Length 90cm (2' 11 3/8") SB

Silver	390 005 500
Sand	390 005 850
Stainless steel	390 005 750

Metal profiles and strips



Stair-Nosing-Profiles

A very solid constructed profile - proven design for many years. Countersunk screw holes for either screwing to the tread or to the riser. The tread is designed with slip blocking grooves. Suitable for stairs with wooden or concrete square steps

- countersunk screw holes
- without screws and dowels

Stair-Nosing for Laminate For floor covering thickness of 8 - 9 mm (5/16 - 3/8 ")

Length 100 cm (3' 3 3/8")

Silver	390 791 000
Sand	390 793 000
Stainless steel	390 794 000

Length 270 cm (8' 10 1/4")

Silver	390 781 000
Sand	390 783 000
Stainless steel	390 784 000



Stair-Ending-Profile

Suitable e.g. for platforms, stair ends on galleries, frames, stairs with wooden or concrete square steps

- countersunk screw holes
- without screws and dowels

For Laminate floor covering thickness 8 - 9 mm (5/16 - 3/8 ")

Length 250 cm (8' 3/8")

Silver	390 811 000
Sand	390 813 000
Stainless steel	390 814 000

For parquet floor covering thickness 13 - 15 mm (1/2- 9/16 ")


Length 250 cm (8' 3/8")

Silver	390 816 000
Sand	390 818 000
Stainless steel	390 819 000

Aluminum Angle Section,

Angular anodized aluminum profile with countersunk holes, also anodized inside the holes.

24.5 mm (1 ") x 10 mm (3/8 ")




Length 270 cm (8' 10 1/4 ")

Silver	390 076 000
Sand	390 078 000
Stainless steel	390 078 200

Length 90 cm (2' 11 3/8") SB

Silver	390 076 100
Sand	390 078 100
Stainless steel	390 078 300

24.5 mm (1 ") x 20 mm (13/16 ")



Length 270 cm (8' 10 1/4 ")

Silver	390 086 000
Sand	390 088 000
Stainless steel	390 089 000

Length 90 cm (2' 11 3/8") SB

Silver	390 086 100
Sand	390 088 100
Stainless steel	390 089 100

SB = SB-packed with dowels and screws

Aluminum Stair Ending Profiles

Single sided profiled and long lasting anodized aluminum profile with countersunk holes, also anodized inside the holes.


Length 250 cm (8' 3/8")

Silver	390 096 000
Sand	390 091 000
Stainless steel	390 092 000

Length 100 cm (3' 3 3/8")


Silver	390 096 100
Sand	390 091 100
Stainless steel	390 092 100

Metal profiles and strips




Combined Aluminum Profile

Long lasting anodized aluminum profile with countersunk holes, also anodized inside the holes and designed to accommodate exchangeable colour PVC inserts.



42 mm (1 9/16 ") x 12 mm (1/2"),
Length 250 cm (8' 3/8")


Silver	390 111 000
Sand	390 113 000
Stainless steel	390 114 000



42 mm (1 9/16 ") x 27 mm (1 1/16"),
Length 250 cm (8' 3/8")

Silver	390 222 000
Sand	390 221 000
Stainless steel	390 224 000

PVC inserts



Price per meter

25 m (27 yd 1') roll, smooth

Black	390 111 100
Dark brown	390 111 300
Light-gray	390 111 500
Beige	390 111 700

25 m (27 yd 1') roll, grooved

Black	390 115 100
Dark brown	390 115 300
Light-gray	390 115 500
Beige	390 115 700

Edge Profiles

Without screw holes.

For parquet and laminated floors.

For floor covering thickness of
7-9 mm (1/4 - 3/8")




Length 270 cm (8' 10 1/4")

Silver	390 721 000
Sand	390 723 000
Stainless steel	390 724 000

Length 90 cm (2' 11 3/8") SB

Silver	390 726 000
Sand	390 728 000
Stainless steel	390 729 000


For floor covering thickness of
14 - 16 mm (9/16 - 5/8")



Length 270 cm (8' 10 1/4")

Silver	390 731 000
Sand	390 733 000
Stainless steel	390 734 000

Special Ending and Transition Profile



Aluminum, Silver anodized

Length 250 cm (8' 3/8")

Height 6 mm (1/4") 390 860 000

Height 8 mm (5/16") 390 861 000

Height 10 mm (3/8") 390 862 000

Height 12.5 mm (1/2") 390 863 000

Brass

Length 250 cm (8' 3/8")

Height 6 mm (1/4") 390 865 000

Height 8 mm (5/16") 390 866 000


Height 10 mm (3/8") 390 867 000

Height 12.5 mm (1/2") 390 868 000

Aluminum Finishing Profile

Aluminium

Long lasting anodized aluminum profile with oval drillings



Length 270 cm (8' 10 1/4")

Silver	390 010 000
Sand	390 045 000


Length 90 cm (2' 11 3/8"), SB

Silver	390 011 000
Sand	390 046 000

SB = SB-packed with dowels and screws

Border Profile

Aluminium anodized, polished self adhesive



Width 20 mm (3/4") x Height 15 mm (1/2")
Length 270 cm (8' 10 1/4")

Silver	390 012 100
Sand	390 012 200
Stainless steel	390 012 300



T-Profile

Aluminium anodized

to be bended with the bending machine

(see page 92)



Width 14 mm (1/2") x Height 8 mm (5/16")

Length 270 cm (8' 10 1/4")

Silver	390 894 100
Sand	390 894 200
Stainless steel	390 894 300




Width 24 mm (1") x Height 6 mm (1/4")

Length 270 cm (8' 10 1/4")


Silver	390 894 500
Sand	390 894 600
Stainless steel	390 894 700

Metal profiles and strips



ZIC-ZAC Bendable Profiles


These profiles can be bend easily by hand to the required form.



Transition moulding

Length 2.5 m (8'2")


Beech	390 896 010
Oak	390 896 020
Mahogany	390 896 030
Bavarian Beech	390 896 040
Red Alder	390 896 050
Alder	390 896 060
Aluminium	390 896 000
Brass	390 896 080



Edge finishing moulding

Length 2.5 m (8'2")

Beech	390 896 110
Oak	390 896 120
Mahogany	390 896 130
Bavarian Beech	390 896 140
Red Alder	390 896 150
Alder	390 896 160
Aluminium	390 896 100
Brass	390 896 180



Divider

Length 2.5 m (8'2")

Beech	390 896 210
Oak	390 896 220
Mahogany	390 896 230
Bavarian Beech	390 896 240
Red Alder	390 896 250
Alder	390 896 260
Alu.	390 896 200
Gold. Karat	390 896 270
Brass	390 896 280
Aluminium, polished	390 896 290



Cap for Arches

Length 2.5 m (8'2")


Alu	390 896 300
Brass	390 896 380



EB-Profiles

Bendable natural aluminum and brass profiles for transitions and joints of ceramic, marble, wood and carpeted floors. The profile is stamped in a way that it can be bended easily to match curved or round shapes.


It is recommended to screw the profile down after having it bended.



Length 250 cm (8' 10 1/4 ")
pack of 10 pcs. price per pcs.


3.0mm (1/8 ") x 21 mm (13/16 ")
Brass 390 880 000

Alu, natural Silver 390 887 000



4.5 mm (3/16 ") x 21 mm (13/16 ")
Brass 390 881 000

Alu, natural Silver 390 888 000




6.0 mm (1/4 ") x 22,5 mm (7/8 ")
Brass 390 882 000

Alu, natural Silver 390 889 000




8.0 mm (5/16 ") x 22,5 mm (7/8 ")
Brass 390 883 000

Alu, natural Silver 390 890 000




10.3 mm (3/8 ") x 22,5 mm (7/8 ")
Brass 390 884 000

Alu, natural Silver 390 891 000



12.5 mm (1/2 ") x 22,5 mm (7/8 ")
Brass 390 885 000

Alu, natural Silver 390 892 000



15 mm (9/16 ") x 22,5 mm (7/8 ")
Brass 390 886 000

Alu, natural Silver 390 893 000



Bending Machine

high grade quality

For the exact and precise bending of circles and radii of EB-Profiles

Order-No. 390 895 100

Flexible Floor Profiles



Flexible Motion and Transition Profiles

Pro-flex bendable floor profiles made of homogeneous thermoplastic synthetic material.


Pro-flex adapts ideally to different floor thickness.

Can be used with carpet, parquet, laminate, linoleum, tiles, etc.

Flexibility to 80 cm (2' 7 5/8") radii.

Pro-Flex Floor Profiles

Packaging unit: 6 m (19' 8 1/4") strip
Price per pcs.



Oak	390 901 891
Beech	390 901 892
Maple	390 901 893
Cherry	390 901 894
Mahogany	390 901 895
Grey (RAL 7035)	390 901 896
White (RAL 9016)	390 901 897
Gold	390 901 898
Silver	390 901 899
Black	390 901 900

Fixing Systems Clik-Fix

Fix Length 268 cm (8' 9 1/2")

Packaging unit: 10 pcs, in foil
Price per pcs.



FN Clik-Fix MS

as Transition Profile:

For thickness of 0 - 12 mm (up to 1/2 ")

as Motion Profile:

For thickness of 4-10 mm (3/16 - 3/8 ")

Order-No. 390 901 506

FN Clik-Fix 7

as Transition Profile:

For thickness of 3 - 18 mm (1/8 - 11/16 ")

Order-No. 390 901 507

FN Clik-Fix 9

as Transition Profile:

For thickness of 06-18 mm (1/4 - 11/16 ")

as Motion Profile:

For thickness of 11-17 mm (7/16 - 11/16 ")

Order-No. 390 901 508

Stairrods

Stairrods

Round Stairrods Ø 9 mm (3/8") and Ø 11 mm (7/16") with brass end stop

Packaging: 10 pcs. Price per pcs.

The picture shows stairrod with brass endstop fitted with an open stairrod clip (see accessories).

Ø 9 mm polished tubular, MS polished	
Length 70 cm (2' 3 ")	390 980 041
Length 75 cm (2' 5 ")	390 980 042
Length 80 cm (2' 7 ")	390 980 043
Length 100 cm (3' 3 ")	390 980 044

Ø 9 mm solid, MS polished	
Length 70 cm (2' 3 ")	390 980 001
Length 75 cm (2' 5 ")	390 980 002
Length 80 cm (2' 7 ")	390 980 003
Length 100 cm (3' 3 ")	390 980 004

Ø 9 mm solid, nickeled	
Length 70 cm (2' 3 ")	390 980 021
Length 75 cm (2' 5 ")	390 980 022
Length 80 cm (2' 7 ")	390 980 023
Length 100 cm (3' 3 ")	390 980 024



Ø 11 mm (7/16") tubular, MS polished	
Length 70 cm (2' 3 ")	390 980 051
Length 75 cm (2' 5 ")	390 980 052
Length 80 cm (2' 7 ")	390 980 053
Length 100 cm (3' 3 ")	390 980 054

Ø 11 mm (7/16") solid, MS polished	
Length 70 cm (2' 3 ")	390 980 011
Length 75 cm (2' 5 ")	390 980 012
Length 80 cm (2' 7 ")	390 980 013
Length 100 cm (3' 3 ")	390 980 014

Ø 11 mm (7/16") solid, nickeled	
Length 70 cm (2' 3 ")	390 980 031
Length 75 cm (2' 5 ")	390 980 032
Length 80 cm (2' 7 ")	390 980 033
Length 100 cm (3' 3 ")	390 980 034

Stairrod eye, round (pair)

Price per pair



Brass polished	
Ø 9 mm (3/8")	390 980 081
Ø 11 mm (1/2")	390 980 082
Brass nickeled	
Ø 9 mm (3/8")	390 980 083
Ø 11 mm (1/2")	390 980 084

Stairrod eye, round (pair) with fastening screw

Price per pair



Brass polished	
Ø 9 mm (3/8")	390 980 091
Ø 11 mm (1/2")	390 980 092
Brass nickeled	
Ø 9 mm (3/8")	390 980 093
Ø 11 mm (1/2")	390 980 094

Stairrod clip, open, round pair



Ø 9 mm (3/8"), Brass polished	390 980 085
Ø 11 mm (1/2"), Brass polished	390 980 086
Ø 9 mm (3/8"), Brass nickeled	390 980 087
Ø 11 mm (1/2"), Brass nickeled	390 980 088

Stairrods

Quarter-round 16 x 16mm

Smooth brass cover

Packaging unit: 10 pcs/ different lengths on request

Picture shows quarter-round stairrod, fitted with side closed stairrod clip.

Quarter-round steeled-tube

16 x 16 mm (5/8x 0.63")

Polished,


Length 500 cm (16' 5 ")

Order-No.: 390 980 089



Stairrod clip

Side closed, quarter-round
16 x 16 mm (5/8x 0.63")



Brass, polished
Order-No.: 390 980 090
Price per pair

Stair Profiles

Mico® -Mico Sheet Metal Edges

MICO-Sheet Non-Perforated Metal Edges

For mending old and blunted wood stairs. The edges are made of galvanized steel sheet and they are fixed with screw nails (without drilling). Additional angle (lower surface) for MICO-Sheet Metal Edge as finish.


Sheet Non-Perforated Metal Edges

Catch approx. 36 mm (1 3/8")

pack of 16 pcs. Price per pcs.

Length 90 cm (2' 11 3/8")
Order-No. 362 565 000

Length 120 cm (3' 11 1/4")
Order-No. 362 566 000




Additional angles

Catch approx. 25 mm (1")

pack of 16 pcs. Price per pcs.

Length 90 cm (2' 11 3/8")
Order-No. 362 568 000

Length 120 cm (3' 11 1/4")
Order-No. 362 569 000



MICO-Sheet Perforated Angular Metal Edges

For mending old and blunt stone stairs. Also suitable for wood stairs. The angle should be glued with the synthetic filler "Prestolith".


ICO-Sheet Perforated Angular Metal Edges

Catch approx. 34 mm (1 3/8")

pack of 16 pcs. Price per pcs.

Length 100 cm (3' 3 3/8")
Order-No. 362 572 000

Length 120 cm (3' 11 1/4")
Order-No. 362 587 000




MICO-Sheet Perforated Rounded Metal Edges

Catch approx. 34 mm (1 3/8")

pack of 16 pcs. Price per pcs.

Length 100 cm (3' 3 3/8")
Order-No. 362 573 000

Length 120 cm (3' 11 1/4")
Order-No. 362 588 000



Prestolith Plastic

Quick-curing filler for processing MICO-Sheet Metal Edges and various other applications.

Tin with hardener included

2 kg (4.4 lbs) 362 590 000

6 kg (13.2) 362 591 000



Mico® Mico Stair-Angles

Type A

For overhanging stairs

pack of 16 pcs. Price per pcs.

Length 70 cm (2' 3 9/16")
Order-No. 333 901 000

Length 90 cm (2' 11 3/8")
Order-No. 333 902 000

Length 120 cm (4'3")
Order-No. 333 903 000

Length 160 cm (5'3")
Order-No. 333 904 000



Type B

For all kinds of stairs with 26 cm (10") nonskid nylon reinforced pad


pack of 8 pcs. Price per pcs.

Length 70 cm (2' 3 9/16")
Order-No. 333 911 000

Length 90 cm (2' 11 3/8")
Order-No. 333 912 000

Length 120 cm (3' 11 1/4")
Order-No. 333 913 000

Length 160 cm (5'3")
Order-No. 333 914 000




Type C

With rounded edges for fixing stair rags. With approx 14 cm (9/16") adhesive fleece pad, rounded

pack of 16 pcs. Price per pcs.

Length 67.5 cm (2' 2 9/16")
Order-No. 333 921 000

Length 77.5 cm (2' 6 1/2")
Order-No. 333 926 000



Type D

For all kinds of stairs with approx 14 cm (9/16") adhesive fleece pad, rectangular

pack of 16 pcs. Price per pcs.

Length 70 cm (2' 3 9/16")
Order-No. 333 922 000

Length 90cm (2' 11 3/8")
Order-No. 333 923 000

Length 120 cm (3' 11 1/4")
Order-No. 333 924 000

Length 160 cm (5'3")
Order-No. 333 925 000



Stair Profiles

Galvanized Metal Repairing Profiles

Profiles for mending blunted stairs.

Length 100cm (3' 3 3/8")

Type H 20 for wood stairs with medium wear and tear, approx. 20 mm (13/16") catch

Pack of 50 profiles and 1000 screw nails

Type H 20 362 560 000



Type H 38 for wood stairs with heavier wear and tear, approx. 38 mm (1 3/8 ") catch

Pack of 25 profiles and 500 screw nails

Type H 38 362 561 000



Type S for stone stairs approx. 20 mm (13/16") catch

Pack of 30 profiles and 120 dowels and screws

Type S 362 562 000



Plastic Profiles for Stair Rags

35x25 mm (1 3/8" x 1")

Length 63 cm (2' 13/16")

Pack of 100 333 940 000



Metal stencil

For making stair rags

Length 70 cm (2' 39/16") for angle of 67.5°

Order-No. 399 000 999

Length 80 cm (2' 7 1/2") for angle of 77.5°

Order-No. 399 000 998



Non-skid insert

EKO Grip

Self-adhesive

Black

18.3 m (3/4 ") roll

Width 19 mm (3/4 ") 390 855 000

Width 25 mm (1 ") 390 856 000

Width 50 mm (2 ") 390 857 000



TREPO-Stair-Profiles Protective edge and anti skid profiles to be fitted on stairs of all types

TREPO-Stair-Profiles consist of a base profile and a top profile

The base profile is fitted prior to laying the parquet, laminate or cork (etc.) flooring. After having laid the flooring, the top profile is simply clipped onto the base profile.

Available in two colours and lengths:

2.64 m (8' 8 3/8") and 1.05 m (3' 3 3/4"),

Alu-Silver and Alu-Gold

Type A, 9-5 mm (3/8" - 3/16") Base profile and top profile

Length 2.64 m (8' 8 3/8")

Alu Silver 390 950 000

Alu Gold 390 951 000

Price per pcs.

Length 105 cm (3' 3 3/4")

Alu Silver 390 953 000

Alu Gold 390 952 000

Price per pcs.

Type B, 16-9 mm (5/8" - 3/8")

Base profile and top profile

Length 2.64 m (8' 8 3/8")

Alu Silver 390 955 000

Alu Gold 390 956 000

Price per pcs.

Length 105 cm (3' 3 3/4")

Alu Silver 390 958 000

Alu Gold 390 957 000

Price per pcs.



TREPO-Inner-Edge-Profile

Length 2.64 m (8' 8 3/8")

Alu Silver 390 960 000

Alu Gold 390 961 000

Price per pcs.

Length 105 cm (3' 3 3/4")

Alu Silver 390 963 000

Alu Gold 390 962 000

Price per pcs.



DUPLEX-Stair Ending Profile

- Long lasting anodized aluminum
- Countersunk holes

Length 250 cm (8' 3/8")


Height 15mm (9/16 ")

pack of 20 pcs.

Price per pcs.

Silver 390 841 000

Sand 390 843 000



Insert Cover

Self-adhesive, width 12 mm (1/2"), for profile 36 mm (1 3/8 ") x 15 mm (9/16 ")

25 m (27 yd 1') rolls


pack of 25 rolls

Price per roll

Black 390 850 000

Sand 390 852 000

Brown 390 853 000



Skirting Boards

Parquet Skirting Boards Genuine Veneer

Coating: UV-processed varnishing / Core: Wedged spruce

Packaging unit

10 pcs, wrapped in protective foil and cardboard

Length:


250 cm
(8' 3/8")

Parquet Profile 40/22

22mm (7/8") x 40mm (1 9/16")

Oak	399 901 321
Beech natural	399 901 322
Beech	399 301 323
Maple	399 901 325
Cherry	399 901 326
Merbau	399 901 327
Wenge	399 901 328

Price per pcs.




Parquet Profile 60/22

21 mm (13/16") x 60 mm (2 3/8")

Oak	399 901 341
Beech natural	399 901 342
Beech	399 301 343
Maple	399 901 345
Cherry	399 901 346
Merbau	399 901 347
Wenge	399 901 348

Price per pcs.




Parquet Profile 20/58

20 mm (13/16") x 58 mm (2 1/4")

Oak	399 901 361
Beech natural	399 901 362
Beech	399 301 363
Maple	399 901 365
Cherry	399 901 366
Merbau	399 901 367
Wenge	399 901 368

Price per pcs.




Parquet Profile SL 40

19 mm (3/4") x 38 mm (1 3/8")

Oak	399 901 381
Beech natural	399 901 382
Beech	399 301 383
Maple	399 901 385
Cherry	399 901 386
Merbau	399 901 387
Wenge	399 901 388

Price per pcs.



Laminated Skirting Boards foiled, with MDF-core

Packaging unit

10 pcs, wrapped in protective foil and cardboard

Length:


250 cm
(8' 3/8")

Laminated Profile 40/22

22 mm (7/8") x 40 mm (1 9/16")

Oak	399 901 421
Beech	399 301 423
Maple	399 901 424
Cherry	399 901 425
Merbau	399 901 427
Wenge	399 901 428

Price per pcs.




Laminated Profile 60/22

21 mm (13/16") x 60 mm (2 3/8")

Oak	399 901 411
Beech	399 301 412
Maple	399 901 414
Cherry	399 901 415
Merbau	399 901 417
Wenge	399 901 418

Price per pcs.



Selection of Veneers and Finishes



Internal corners, external corners, end pieces

with matching printed designs

for parquet profiles 40/22 and 60/22 and laminate profiles 40/22



Internal Corners

Printed, 90°

For profile 40/22 399 902 1 . .

For profile 60/22 399 902 2 . .

Price per pcs.

External Corners

Printed, 90°

For profile 40/22 399 904 1 . .

For profile 60/22 399 904 2 . .

Price per pcs.



End Pieces (2 pcs.)

Printed, 90°

For profile 40/22 399 930 1 . .

For profile 60/22 399 930 2 . .

Price per set

Style	Color-No
Beech	01
Beech natural + Maple	02
Oak	03
Cherry	04

Please add the two respective digits to your order number.

Aluminium Skirting Board



Aluminium skirtings

without holes, to fix with adhesive

Dimensions 58 x 12 mm (2 1/4 x 1/2")

Thickness 3,5 mm (1/8")

Length 250 cm (8' 3/8")

packaging unit = 10 pcs price per pcs

Stainless steel	399 950 000
Silver	399 950 010



Inside Corners

Stainless steel	399 950 100
Silver	399 950 110

Outside Corners

Stainless steel	399 950 120
Silver	399 950 130

Right End-piece

Stainless steel	399 950 140
Silver	399 950 150

Left End-piece

Stainless steel	399 950 160
Silver	399 950 170

Connector

Stainless steel	399 950 180
Silver	399 950 190



Flexible Skirting Profiles



Flexible Profiles

- in solid wood.

Packaging unit: 10 pcs in cardboard box,

Length approx. 150 cm (59")

Please note: Strictly follow the instructions for use!



Flexible Profile No.1

Packaged in foil bag
10mm (3/8") x 59 mm (2 3/8")



Oak	390 901 921
Beech	390 901 922
Ash	390 901 923

Price per pcs.

Flexible Profile No.2

Packaged in foil bag
10 mm (3/8") x 14 mm (9/16")



Oak	390 901 931
Beech	390 901 932
Ash	390 901 933

Price per pcs.

Rosettes for Radiators

Rosettes for Radiators Varnished



Drilling 22 mm (1/2")

Oak	390 901 801
Beech	390 901 802
Ash	390 901 803
Maple	390 901 804
Mahogany	390 901 805
Black	390 901 806
White	390 901 807
Cork	390 901 808

Price per pcs.

Drilling 27 mm (3/4")

Oak	390 901 821
Beech	390 901 822
Ash	390 901 823
Maple	390 901 824
Mahogany	390 901 825
Black	390 901 826
White	390 901 827
Cork	390 901 828

Price per pcs.

Drilling 18 mm (3/8")

Oak	390 901 841
Beech	390 901 842
Ash	390 901 843
Maple	390 901 844
Mahogany	390 901 845
Black	390 901 846
White	390 901 847
Cork	390 901 848

Price per pcs.

Drilling 15 mm (1/4")

Oak	390 901 861
Beech	390 901 862
Ash	390 901 863
Maple	390 901 864
Mahogany	390 901 865
Black	390 901 866
White	390 901 867
Cork	390 901 868

Price per pcs.

Double Rosettes

without drilling for individual dimensions

L x W x H 108 x 56 x 20 mm
(4 1/4 x 2 3/16 x 13/16")

Oak	390 901 881
Beech	390 901 882
Ash	390 901 883
Maple	390 901 884
Mahogany	390 901 885
Black	390 901 886
White	390 901 887

Price per pcs.



Door Stoppers

Door Stoppers

For walls and floors



Oak	390 901 901
Beech	390 901 902
Ash	390 901 903
Maple	390 901 904
Mahogany	390 901 905

Price per pcs.

Door Stoppers >Safe<

Heavy duty door stopper, securely screwed into flooring (thickness of 7.5 mm (5/16") minimum). Does not damage the sub-floor, suitable for floor heating.



Silver	390 901 906
Gold	390 901 907
Steel	390 901 908

Price per pcs.

Floor Protection System



Patented cover sheet with clip-system helps for quick and easy installation!

Ideal protection for ready installed and finished floors

- no damages on parquet flooring
- no scratch marks on linoleum
- no broken ceramic tiles

Usable up to 10 times, saves resources and the environment, recyclable.



Measurements:
1200 x 800 mm (3' 11 1/4 x 31 1/2")
Weight:
1,0 kg (2.2 lbs) per sheet
Material: Polypropylene

Strength: 4,5 mm (3/16")
for heavy duty usage
maximum 300 kg (661 lbs)

Strength 4.5 mm (3/16") colour white/clear

single pcs	896 500 000
palett of 220 pcs	896 500 100



Features:

- easy installation of the patented RELE-Clip-System
- low weight compared to the other cover protection systems (1 pcs = 1 kg (2.2 lbs) = 0.83 m³ (0.89 sq feet))
- easy transport and storage on pallets
- extremely durable also to protect from heavy machines
- Flooring installations are visible through the clear colour
- can be used up to 10 times

RELE Special Adhesive Tape

- to fix and seal the joints
- keeps the joints flat
- ensures residue-free removal

Width 15 cm (5 7/8")
Length 150 meter (164 yd)

Order-No. 896 500 900



Protective Office Mats

Polycarbonate Mats - without PVC

TOP-Quality 10-Year Guarantee!
UV-resistant, fireproof, 100% recyclable, in 4 fitting forms and 7 different sizes.

Ecopro-Quality the cost-efficient alternative!
also with securely top - extreme strong and solid available in 2 forms and 3 sizes

Discounted PVC mats available on enquiry.

Form A
Square
120 x 120 cm
(3' 11 1/4" x 3' 11 1/4")

Form B
Rectangular
120 x 90 cm (3' 11 1/4" x 3' 1/4")
120 x 100 cm (3' 11 1/4" x 3' 3 3/8")
120 x 150 cm (3' 11 1/4" x 4' 11")
120 x 200 cm (3' 11 1/4" x 6' 6 3/4")

Form C
Circular
Ø 120 cm
(3' 11 1/4")


Form D
Outlined
120 x 142 cm
(3' 11 1/4" x 4' 7 7/8")

CLEAR-ROLL

Suitable for hard floors as well as for smooth floors, e.g. for wood, parquet, laminate, cork, marble, stone and concrete floors. The non-skid coating provides a high degree of stability without damaging the floor surface.



- TOP-Quality**
Thickness: 2.0 mm (1/16")
B / 120 x 90 cm (3' 11 1/4" x 3' 1/4")
Order-No. 333 502 000
- B / 120 x 100 cm (3' 11 1/4" x 3' 3 3/8")
Order-No. 333 503 000
- A / 120 x 120 cm (3' 11 1/4" x 3' 11 1/4")
Order-No. 333 501 000
- B / 120 x 150 cm (3' 11 1/4" x 4' 11")
Order-No. 333 504 000
- B / 120 x 200 cm (3' 11 1/4" x 6' 6 3/4")
Order-No. 333 505 000
- C / Ø 120 cm (3' 11 1/4")
Order-No. 333 506 000
- D / 120 x 142 cm (3' 11 1/4" x 4' 7 7/8")
Order-No. 333 507 000



- Ecopro-Quality**
Thickness: 1.8 mm (1/18")
B / 120 x 90 cm (3' 11 1/4" x 3' 1/4")
Order-No. 333 502 100
- A / 120 x 120 cm (3' 11 1/4" x 3' 11 1/4")
Order-No. 333 501 100
- B / 120 x 150 cm (3' 11 1/4" x 4' 11")
Order-No. 333 504 100



CLEAR-GRIP


Perfect for rugs and carpeted floors. Smooth anti-skid knobs ensure a high degree of stability without damaging the carpet.



- TOP-Quality**
Thickness: 2.5 mm (1/8")
B / 120 x 90 cm (3' 11 1/4" x 3' 1/4")
Order-No. 333 602 000
- B / 120 x 100 cm (3' 11 1/4" x 3' 3 3/8")
Order-No. 333 603 000
- A / 120 x 120 cm (3' 11 1/4" x 3' 11 1/4")
Order-No. 333 601 000
- B / 120 x 150 cm (3' 11 1/4" x 4' 11")
Order-No. 333 604 000
- B / 120 x 200 cm (3' 11 1/4" x 6' 6 3/4")
Order-No. 333 605 000
- C / Ø 120 cm (3' 11 1/4")
Order-No. 333 606 000
- D / 120 x 142 cm (3' 11 1/4" x 4' 7 7/8")
Order-No. 333 607 000



- Ecopro-Quality**
Thickness: 2.0 mm (1/16")
B / 120 x 90 cm (3' 11 1/4" x 3' 1/4")
Order-No. 333 602 100
- A / 120 x 120 cm (3' 11 1/4" x 3' 11 1/4")
Order-No. 333 601 100
- B / 120 x 150 cm (3' 11 1/4" x 4' 11")
Order-No. 333 604 100



Fixing Materials

Dowels

Hollow Space Dowel (HRD) with matching screw.



M4 x 32 for drilling of Ø 9 mm (3/8 ")
clamping space 3 - 9 mm (1/8 " - 3/8 ")
with combination head screw M4 x 40
(Packaging unit 200 pcs.) 392 011 000

M4 x 50 for drilling of Ø 9 mm (3/8 ")
clamping space 3 - 15 mm (1/8 " - 9/16")
with combination head screw M4 x 55
(Packaging unit 100 pcs.) 392 012 000

M5 x 60 for drilling of Ø 10 mm (3/8 ")
clamping space 20 - 26 mm (13/16 " - 1")
with combination head screw M5 x 65
(Packaging unit 100 pcs.) 392 013 000



Hollow Space Dowel Pliers
HRD-Super
Order-No.: 392 095 000

Synthetic Hollow Space Dowel



For sandwich type plaster boards and light building boards. Fast fixing, no pilot drill necessary.

Self-Drive Hollow Space Dowel
(250 pcs, in box)
with slotted pan head screw
4 x 50 mm (3/16 x 2")
Order-No. 395 020 000
with round head screw
4 x 40 mm (3/16 x 1 9/16")
Order-No. 395 010 000

Self-Drive Hollow Space Dowel

Made of cast aluminum.



Self-drilling dowel for sandwich type plaster boards and autoclaved aerated concrete building plates.

(200 pcs, in box)
with cheese/filister screw and philips head
TP 12 - 4.3 x 35 mm (3/16 x 1 3/8")
Order-No. 392 051 000
with flat head bolt and philips head
TF 27 - 4.3 x 50 mm (3/16 x 2")
Order-No. 392 050 000

Universal-Dowel

The Universal-Dowel is the perfect way of fixing covering profiles, curtain fasteners and skirting boards. Works even in worn brickwork.



The optimum spreading of the dowel ensures a strong and secure mounting.

(500 pcs, in box)
5 mm (3/16") 393 005 000
(250 pcs, in box)
6 mm (1/4") 393 006 000
8 mm (5/16") 393 008 000
10 mm (3/8") 393 010 000
(50 pcs, in box)
12 mm (1/2") 393 012 000
14 mm (9/16") 393 014 000

DOS-Nylon Laminated Dowels

(100 pcs, in box)
36 mm (1 3/8") 390 500 100

Screws

Chip board screws Flako K4

The perfect match for the Universal-Dowel for fixing carpet profiles and transition profiles.



-Flako=Flat head
-K=Small head
of Ø 6,0 mm (1/4 ")
- with TORX-Drive

The screw diameter of Ø 4 mm (3/16 ") ensures a perfect fit in the pilot drilled profile.

Chromium plated (500 pcs. per pack)
K 4 x 25 mm (3/16 x 1")
Order-No. 393 025 000
K 4 x 35 mm (3/16 x 1 3/8")
Order-No. 393 035 000
K 4 x 45 mm (3/16 x 1 3/4")
Order-No. 393 045 000

Brass coated (500 pcs per pack)
K 4 x 25 mm (3/16 x 1")
Order-No. 393 125 000
K 4 x 35 mm (3/16 x 1 3/8")
Order-No. 393 135 000
K 4 x 45 mm (3/16 x 1 3/4")
Order-No. 393 145 000

Gunmetal finish 500 pcs. per pack
K4 x 35 mm (3/16 x 1 3/8")
Order-No. 393 235 000
K4 x 45 mm (3/16 x 1 3/4")
Order-No. 393 245 000

Nails

Steel nails

Ø 1.5 mm (1/16 ")



100 pcs, packaged in plastic bag
(Packaging unit: 20 bags)
Blank
25 mm (1") 362 515 000
30 mm (1 3/16") 362 516 000
35 mm (1 3/8") 362 517 000

Galvanized
25 mm (1") 362 540 000
30 mm (1 3/16") 362 541 000
35 mm (1 3/8") 362 542 000

Pack of 1000 pcs.
Blank
15 mm (9/16 ") 362 509 000
20 mm (13/16 ") 362 510 000
25 mm (1") 362 511 000
30 mm (1 3/16") 362 512 000
35 mm (1 3/8") 362 513 000
45 mm (1 3/4") 362 514 000

Galvanized
20 mm (13/16") 362 525 000
25 mm (1") 362 526 000
30 mm (1 3/16") 362 527 000
35 mm (1 3/8") 362 528 000
45 mm (1 3/4") 362 529 000

2 speed cordless drill ALi 10,8 G

Small machine with lots of power

Ergonomically designed, non-slip, soft grip handle

Thanks to its compact design it is especially good when working in restricted spaces.



Technical Specifications	
Battery voltage	10.8 V
Battery capacity	1.3 Ah
Torsion	38 Nm
Torque positions	20+1
Speed without load 1.gear	0-345 /min
Speed without load 2.gear	0-1240/min
Tool fixture	0.8-10 mm
Weight with battery	1.10 kg (2.4 lbs)

in plastic carry case with additional battery pack, rapid battery charger, LED Light and Socket and bit set

Order-No. 575 300 200

inclusive separate LED-lamp and integrated LED-light

also see page 83