

# 8

## Storage, Handling and point of sale equipment

- Paternoster
- Cutting Tables
- Roll Stands
- Installation of Sport- / Protective Floors
- Rug Roll Out Systems
- Rug Display Stands
- Carpet Suspension, Labelling
- Sample Presentation - Libraries
- Transportation Devices
- Loading Ramps




# 8 Janser - Roll-Paternoster TRPA



height cm	capacity carpet-roll paternosters			capacity pvc-roll paternosters		
	roll-Ø 40 cm	roll-Ø 50 cm	roll-Ø 60 cm	roll-Ø 20 cm	roll-Ø 25 cm	roll-Ø 35 cm
240	10	8	7	17	14	11
260	11	9	7	19	14	11
280	11	9	8	21	17	13
300	12	10	9	22	18	14
320	13	11	9	24	20	15
340	14	12	10	27	22	17
360	15	12	10	27	22	17
380	16	13	11	29	24	18
400	17	14	12	30	25	19
420	18	14	12	32	26	20
440	19	15	13	33	28	21
460	19	16	13	35	29	22
480	20	17	14	37	30	23
500	21	17	15	38	32	24
520	22	18	15	40	33	25
540	23	19	16	41	34	26
560	24	20	17	43	36	27
580	25	20	17	45	37	28
600	26	21	18	46	38	29



- Efficiently use room height.
- Optimize comfort and handling with fewer personnel.
- Display a maximum number of rolls using minimum ground space.
- Machines are delivered for standard roll widths 200 / 300 / 400 / 500 cm (special widths on request) and standard heights of 240 to 600 cm.




wall coverings and foil rolls

Two-floor and silo paternosters

## Secondhand Market

Get a good machine at an attractive cost-performance ratio. We also give quotes for secondhand machines that are German-made and in good condition.

Secondhand machines are carefully reconditioned and checked before delivery. We also include new metal casings and repaint most visible parts.



Please ask for further information and an individual offer






With cutting tables, rolls can be easily unrolled from paternosters, measured, cut and packed.

Main features:

- Durable pre-selection mechanical counter.
- Easy length input with the use of buttons.
- Hand and foot-operated three-roller winding trough.
- Horizontal guide for use with electric and handheld cutters.
- Predominately aluminium components help save money and allow easy handling.
- Low working height enables easy roll feeding.
- Standard version for goods 200 / 300 / 400 / 500 cm.

Please ask about our special offers on:

- TRPA roll paternosters
- TMS cutting tables



Packing foil (doubled)  
thickness = 0,08 mm  
width of roll = 800 mm  
opened foil width = 1600 mm  
roll length = 200 m



Cutting machines facilitate the measuring, cutting and rolling of carpeting.



We also offer a wide range of accessories:

- Electric or handheld cutting machine with guide,
- Packing foil holder,
- Packing foil,
- Guide rails with special hollow-ground running wheels.

For wholesalers, we also deliver cutting tables with winding troughs, pictured left.

Rolls are transported from high shelves to the winding trough using a pin lift.


Please ask for further information and an individual offer

# 8 TRS Roll stands with Accessories




A variety of roll stands are available for all usual roll widths. TRS Roll stands are suitable for carpet and PVC rolls. The variable hanging system enables an optimal use of available capacity.


Standard construction heights are 255 cm - 200 cm - 170 cm - 155 cm. Other heights may be available upon request. The following movable or stationary models are available:




one-sided stationary




one-sided mobile



double-sided stationary



double-sided mobile




Roll poles hang up in special pole supportive brackets (see left photo).

This system provides the most convenient operation and safety through a locking strap and built-in brake.

Special cones bring the inside plastic or card-board tube forward (see right photo).

The squares located inside the pole ends enable the use of lifting handles, a winding crank or an electric pole winder.



## TRS Accessories

The wide range of TRS accessories allows an optimal handling of rolls in all applications.

Please ask for our detailed offers.

### Frame Extension Pair

The frame extension pair is only to support the roll hoist. It enables the lifting of rolls to the highest position on roll stands.



### Pole Positioning Lever

The location of rolls can be changed using the pole positioning lever.



### Roll Hoist



### Electric Pole Winder



### Pole Winding Crank



### Lifting Handles








Cutting at roll stand with USF. A fixing clamp and hand cutter are also pictured.



Cutting on the floor with USF. A squaring guide and hand cutter are also pictured.





The professional electric hand cutter Mafell TS 400 A1 provides the most comfortable operation and can also be used with USF and cutting tables.

The reliability of the Mafell TS 400 A1 has made it a longstanding product on the market.

We deliver the USF rail for carpet and PVC floorings in widths of 200, 300, 400 and 500 cm.

The Mafell TS 400 A1 and various hand cutters can also be used with USF in front of roll stands and paternosters.



RFW Roll stands are functional, save space and have a variable hanging system.

There are roll stands for all widths of rolls up to 150 cm available.

The standard construction height is 183 cm.

We can also produce other heights and versions upon request.




The FMS 1100 measuring and cutting device is suitable for widths of rolls up to 110 cm, while the FMS 1500 is for widths up to 150 cm.

The FMS includes a length counter and an unwind-pole. It is mobile on wheels, save space and light in weight.



## Mobile Protection for indoor floors



On- Rolling with the Transport and Unroll Trolley- manual and

Are you looking for an effective, time saving system for storing and unrolling your sports floorcovering?

This is it! - DPP Systems.

In cooperation with the flooring industry Janser has developed a system that enables you to store and easily off-roll the flooring.

### On- and Off-Rolling with the Rack DPP

On- and Off-Rolling with the Rack DPP enables a precise installation with tight seams. With the help of the transport and unroll trolley the Floor Roll can be off-rolled directly from the rack into its position in the court. The wheels are designed to move easily over all kinds of floors (Parquet, Hard-Court, Vinyl)

Please ask for detailed information material!

### DPP Rack

The rack DPP for 4, 6 or 8 rolls, was specifically designed for the transportation and storage of the rolls, the off- and on-rolling in the sport hall and the transportation to other locations. For transportation the racks can be lifted including the rolls with a fork lift truck. Even after multiple installations the rolls will not be damaged at the sides.



On-Rolling with Transport and Unroll Trolley with the electric winding motor




hanging the rolls into the rack with the Transport and Unroll Trolley

## Marking Device


Circular game line marking of up 9 m radius can be applied with this device.




Two parallel tapes can also be applied with the device.



**Template-Set**  
(2 pcs.) For the cutting of the markings.




**Marking Head**  
with 50 mm Marking Tape



**Marking Head**  
with 19 mm Protective Tape



**Marking Head**  
with Guiding Plate for straight lines



**Circle Cutting** of radius from  
220 - 9000 mm



**Off- Roller Type DF**  
for application of double sided tape



**Off- Roller Type SF**  
for application of single sided tape underneath the floorcovering

## Sample Rack for Laminate and Pre-Finished Parquet (VLF)

The sample rack holds 24 Display Frames (130 x 60 cm)

Width: 145 cm  
Depth: 70 cm  
Height: 185 cm

Each Display Frame can be equipped with different samples on both sides.

Optional with a Top-Blending for a brand name or promotion.

The customer can study and evaluate conveniently the offer. The presentation uses comparatively little space.







## Rug Roll Out System TSA.

The Rug Roll Out System is the perfect solution for a fine presentation of rugs

With one or two storage areas this free standing rack can also be altered in size later on to match your space

Special Version with stabilizing frame and wooden handles (see large picture above) The carpets can be tightened into the frame so that creasing can be eliminated.

1 Storage Area  
1 Presentation Area

2 Storage Areas  
1 Presentation Area


### VERTICAL DISPLAY

for carpet sizes

170 x 240 cm (5'7" x 7'10½")

200 x 300 cm (6'6¾" - 9'10")

250 x 350 cm (8'2½" x 11'5¾")



## New aluminium carpet hanger - the heart of our display systems -

All our Display Systems are equipped with the new, improved aluminium carpet hangers.

Developed with special handles for easy and quick opening and closing !

Elegant, long-lasting and safe. Produced out of aluminium with one-sided row of needles.

No risk of injury, as the top profile with new handle can only be opened when carpet is correctly loaded.

Standard lengths available: 170, 200, 250 and 350 cm.  
Other lengths of course available on request.








## TVG-61 180°

- full size presentation -



carpet size cm	carpet capacity	height cm	width cm	depth cm
170x240	40	270	208	215
	60	270	286	225
	80	270	376	225
	100	270	466	225
200x300	40	330	208	245
	60	330	286	255
	80	330	376	255
	100	330	466	255
250x350	40	380	208	295
	60	380	286	305
	80	380	376	305
	100	380	466	305

The stands are space-saving, a maximum of carpets being displayed in a very small place. The range of carpets is simply thumbed through like a picture book.

Each carpet is loaded in our special aluminium carpet hanger. By pressing down the handles, the carpet will be fixed automatically when closing the hanger. Carpets are to be loaded into the aluminium hanger on the floor, and will be hung up in the stand by lifting stick.



## TVG-61

- full size presentation -

Triangle Construction

180°




The system is divided in two sections, for example 2 x 20 = 40 carpets. By this there are created two POS (point of sales). Two customers can make their choice at the same time.



Round- / Pillar Construction

360°



The system is divided in four sections, for example 4 x 20 = 80 carpets. By this there are created four POS (point of sales), and four customers can make their choice at the same time.

## Carpet Suspension



**Carpet Clamp for Round Tube** No. 77  
 chromium plated 853 811 500  
 brass plated 853 811 000





**Round Tube Ø 25 mm (1")**  
 Length 250 cm (8' 2 3/8") No. 78-2  
 tubes can be combined with help of the holding pieces  
 chromium plated 853 811 525  
 brass plated 853 811 025

**End Button** No. 75  
 brass plated 853 811 001  
 chromium plated 853 811 501

**Holding piece** No. 76  
 brass plated 853 811 002  
 chromium plated 853 811 502

**Screws** No. 74  
 50 pcs. incl. Dowels  
 brass plated 853 811 003  
 chromium plated 853 811 503

**Carpet Clamp for squared Tube**  
 chromium plated 853 811 700



## Labelling

### Labelling

For the fast and clear labelling of your carpets and rugs



**Plastic Envelopes**  
 Nr. 30-3 small 80 x 130 mm (3 1/8 x 5 1/8")  
 Order-No. 853 804 010  
 Nr. 31-3 big 160 x 220 mm (6 1/4 x 8 3/4")  
 Order-No. 853 804 020

**Labels**  
 Nr. 30-2 small (Pack of 100 pcs)  
 Order-No. 853 804 011  
 Nr. 31-2 big (Pack of 100 pcs)  
 Order-No. 853 804 021

**Patent button**  
 Nr. 30-6 Length 25 mm (1") (pack of 100 pcs)  
 Bestell-Nr. 853 810 000  
 Nr. 30-6 Length 19 mm (3/4") (pack of 100 pcs)  
 Bestell-Nr. 853 810 100



### Pistol-Grip Fastener

For tagging plastic pockets or other labels with nylon threads. Light weight, ergonomic design and an easy trigger mechanism offer a convenient user comfort.



Order-No. 853 813 050

**Replacement Parts**  
 Spare Needle  
 Pack of 5 pcs. 853 813 001

**Nylon Threads**  
 Threads PP (Pack of 5,000 pcs.)  
 length 13 mm (1/2") 853 815 000  
 length 25 mm (1") 853 817 000  
 length 40 mm (1 1/2") 853 818 000

## Packing

### Janser-Stretchwrap

Packaging quickly, conveniently and attractively

With this transparent stretchwrap film you can bind the ends of rolls of carpet, wall paper and other rolled material. The process is quick and there is no adhesion to the product to cause damage on removal.


As the film is transparent the complete product can be seen and price tags or advice notes can be inserted behind the film for display. Also many other applications in warehouses and stores.

rolls with 150 m (492' 1 3/4") film, 100 mm (4") wide, without handle  
 pack of 10 rolls 895 000 000  
 handle 895 000 001





## Roll Fastening



### Securing Belt black nylon with metal buckle



length 1.5 m (59"), width 30 mm (1 1/8")  
for 40 cm (16") roll-Ø

Order-No.. 851 021 000

length 1.8 m (71"), width 30 mm (1 1/8")  
for 50 cm (20") roll-Ø

Order-No.. 851 022 000

length 2.1 m (82"), width 30 mm (1 1/8")  
for 60 cm (24") roll-Ø

Order-No.. 851 023 000

### Stretch-Belt, anthracite elastic rubber band with plug connection



adjustable length 0.30-0.60 m (11¼-23 ½")  
width 30 mm (1 1/8") Nr. 557-1

Order-No.. 851 032 100

adjustable length 0.70-1.35 m (29 - 57")  
width 30 mm (1 1/8") Nr. 557

Order-No.. 851 032 000

### Velcro Strap, beige with plastic buckle



length 1.8 m (71"), width 40 mm (1½")

Order-No.. 851 053 000

length 1.3 m (51"), width 20 mm (¾")

Order-No.. 851 054 000

### Velcro Strap grey with plastic buckle



Length 1.20 m (42"), width 30 mm (1 1/8")  
Nr. 565-1

Order-No.. 851 057 000

length 2.1 m (82"), width 30 mm (1 1/8")  
Nr. 565

Order-No.. 851 056 000

### Minibelt grey rubber band with spike holder



Length non-strechted 24 cm (9"),  
width 30 mm (1 1/8")

Pack of 50 pcs price per pcs

### Large Carpet Pinflat head

with brown head of  
Ø 30 mm (1 1/8"), length 70 mm (2 ¾")

No. 559 (boxes of 50)

Order-No. 851 030 000

### Safety Pindomed head

with plastic head

head-Ø 20mm (¾")/  
L=65mm (2 ½")

Order-No. 851 029 000


### Small Carpet Pin

head Ø 4 mm (1/8")

length 50 mm (2")

No. 541 (100pcs in different colours)

Order-No. 851 027 000



### Ring Pin

No. 543 (box of 100)

Order-No. 851 026 000



### Transparent Envelope "Trend"

170 x 240 mm (6 ¾ x 9 ½") with  
two slots

No. 90

Order-No. 852 138 010

### Price Label "Trend"

160 x 200 mm (6 ¼ x 7 7/8"),  
Form A


usual symbols

Nr. 92 white (pack of 100 pcs)

Order-No. 852 138 100

Nr. 93 yellow (pack of 100 pcs)

Order-No. 852 138 200



### Price Label "Trend"

160 x 200 mm (6 ¼ x 7 7/8"),  
Form B

with red carpet certificate

Nr. 97 white (pack of 100 pcs)

Order-No. 852 138 130

Nr. 96 yellow (pack of 100 pcs)

Order-No. 852 138 120



# 8 Sample Presentation - Libraries



Present your samples in a delightful but professional manner. The entire range of goods and colours can be presented simultaneously with easily accessible shelves. Elements can be endlessly combined to create practically any library you need.



Straight elements, corner models, bottom cupboards, movable round libraries and tile cupboards are among the products in this programme.

Standard finish of the visible surfaces is white laminate with a black base.

Coloured finishes and wooden decor are also available for a nominal charge.

available in 3 sizes




## SMART Waterfall Stand



Our SMART waterfall stand provides a beautiful combination of samples and libraries.

The maximum sample size is 58 x 85 cm.

Standard surface finish is white laminate. Coloured finishes and wooden decor are also available.





## Carpet Trolley for full size rolls

TECHNICAL SPECIFICATIONS	
Load capacity	300 kg (660 lbs)
Wheels Pneumatic tyres	400 mm (15")
Width	510 mm (20")
Length	1600 mm (63")
Order-No.	859 003 000



## Fold-up Cart

Ideal for taking along in the delivery van

Folds up for stowing in small spaces. Can handle the heaviest of carpet rolls. Pneumatic tyres make it ideal for use on uneven ground.

TECHNICAL SPECIFICATIONS	
Load capacity	400 kg (880 lbs)
Wheels	Pneumatic tyres 400 mm (15")
Order-No.	859 006 000



## Y-Trolley

suitable for loading and unloading paternosters.  
(in this case 2 trolleys required)

TECHNICAL SPECIFICATIONS	
Load capacity	300 kg (660 lbs)
Length	500 mm (20")
Width	300 mm (12")
Height	480 mm (19")
Order-No.	859 012 000



## Trough Truck

with 4 rollers of Ø 90 mm  
(3 1/2 ") on bearings, 4 castor  
wheels of Ø 160 mm (6 1/4 ")

TECHNICAL SPECIFICATIONS	
Load capacity	400 kg (880 lbs)
Length	1000 mm (39")
Width	600 mm (24")
Height	410 mm (16")
per piece	859 010 000



## Telescopic Poles

for linking 2 trough trucks into a  
large carpet unroll truck length  
extended overall 3500 mm (11'-  
6") length retracted overall  
2000 mm (6'-6")

pair	859 010 001
------	-------------



## Carpet Roll Trolley

with 4 castor wheels 100 mm  
(4")

TECHNICAL SPECIFICATIONS	
Load capacity	200 kg (440lbs)
Width	500 mm(20")
Length	800 mm(31 1/2")
Order-No.	859 048 500

## High Trolley

for vinyl rolls up to 200 cm  
(78 3/4 ") material width.

TECHNICAL SPECIFICATIONS	
Load capacity	300 kg (660 lbs)
Wheels Pneumatic tyres	400 mm (15 3/4")
Overall width	600 mm (24")
Height	500 mm (19 3/4")
Trough width	300 mm (12")
Length	800 mm (31")
Order-No.	859 011 000



## Transport and Unroll Barrow

with 3 gravity rollers

TECHNICAL SPECIFICATIONS	
Load capacity	250 kg (550 lbs)
Tyres	160 mm (6 1/4 ")
Overall width	560 mm (22")
Handle distance	650 mm (25 1/2 ")
Order-No.	859 031 000



Transport and unwinding  
on three rollers



### Lino-Wagon

transports the roll, unrolls from vertical position from 3 gravity rollers

#### TECHNICAL SPECIFICATIONS

Load capacity	300 kg (660 lbs)
max. roll	350 mm (13")
Width	200 cm (78")
Tires	2 fixed wheels 2 steering wheels with brakes

Order-No. 859 030 000



### Transport Barrow

#### TECHNICAL SPECIFICATIONS

Load capacity	250 kg (550 lbs)
Wheels	Pneumatic tyres: 260 mm (10 1/4")
Overall width	560 mm (22")

Order-No. 859 022 000



### Roll Carrying Handles

for comfortable lifting and carrying of rolls.  
width over handles 680 mm (27")


per pair 859 060 000



### Carpet Roll Pulling Device

complete with rope, ideal for pulling rolls to the back of a truck tray

Order-No. 859 061 000





## Roll Lifter hand-operated for 200 cm (6'6"), 400 cm (13 ft) and 500 cm (16'4") material width

to lift the heavy roll before on- or offrolling them

comes per pair  
without roll pole

Order-No. 822 802 000

Re-Roll Poles  
for Roll Lifter hand-operated

for 200 cm (6'6") 822 802 200


for 400 cm (13 ft) 822 802 400

for 500 cm (16'4") 822 802 500



## On-and-Off-rolling Transporter RTAG

for picking up rolls from  
the floor



On-and-Off-rolling Transporter RTAG

Pair without unroll pole

Order-No. 852 146 000

Re-Roll Poles for RTAG

for 200 cm (6'6") 852 142 001

for 400 cm (13 ft) 852 144 001

for 500 cm (16'4") 852 145 001



# 8 Transport Device LIFTCAR at stairs

## LIFTCAR

The LIFTCAR guarantees a safe and easy transport of parquet sanders, stacks of parquet, buckets of sealing compound, adhesive, sealing wax, rolls on floor covering and other heavy things.

Only one person is needed to transport heavy materials from a delivery-van to the work-site regardless of steps.

### FEATURES

- Light Weight
- Fast Charger
- Adjustable Speed
- Foldable Handle



comes with large platform, quick-change battery BU, battery charger, Security belt 1,4 m 2 hooks and security lock

### TECHNICAL SPECIFICATIONS

Power supply	230 V
Pneumatik tyres	260 x 85 (10x13")
Platform	420 x340 (16½x13½")
Battery weight	4 kg (9 lbs)
Own weight	16 kg (35 lbs)

Platform size  
4 kg (9 lbs)  
(16 ½ x 13 3/8 x ¼")

for machines and large packages

### LIFTCAR 110

Climbing speed	max. 48 steps/min
max. step height	210 mm (8 ¼")
Nominal weight	110 kg (242 lbs)

Order-No. 441 758 000

### LIFTCAR 140

Climbing speed	max.35 steps/min
max. step height	210 mm (8 ¼")
Nominal weight	140 kg (300lbs)

Order-No. 441 756 000





## Furniture Roller Pair



The mechanical lifting roller is an essential help for all craftsman working in interior decoration, exhibition- or maintenance services.

Slide the shovel underneath the front side of the carrying belt, tighten the securing straps, then lift the furniture by turning the crank.

The caster wheels with ball-bearings have special coatings to be used on carpets as well as on parquet or other hard flooring.

### TECHNICAL SPECIFICATIONS

plastic wheels	125 mm (5")
Load capacity	600 kg (1325 lbs)
Width:	570 mm (22½")
Depth:	350 mm (13")
Height:	775 mm (30½")

Order-No. 859 050 000



## Universal Trolley JUMBO



### JUMBO 100 Standard with anti-slip coating

#### TECHNICAL SPECIFICATIONS

Board size	30 x 60 cm (11 7/8 x 23 ¾")
Height	145 mm (5 ¾")
Wheel	100 mm (4")

Jumbo 100 Standard - with rubber wheels

Load Capacity: 250 kg (551,2 lbs)

Order-No. 859 040 004

Jumbo 100 Standard - with polyamide wheels

Load Capacity: 350 kg (771,6 lbs)

Order-No. 859 040 005

### JUMBO 100 Super with anti-slip coating

#### TECHNICAL SPECIFICATIONS

Board size	35 x 60 cm (13 ¾ x 23 ¾")
Height	148 mm (5 7/8")
Wheel	100 mm (4")

Jumbo 100 Super - with rubber wheels

Load Capacity: 300 kg (661,4 lbs)

Order-No. 859 040 007

Jumbo 100 Super - with polyamide wheels

Load Capacity: 500 kg (1102,3 lbs)

Order-No. 859 040 006

### JUMBO 125 Super with anti-slip coating

#### TECHNICAL SPECIFICATIONS

Board size	50 x 60 cm (19 ¾ x 23 ¾")
Height	180 mm (7 1/16")
Wheel	125 mm (5")

Jumbo 125 Super - with rubber wheels

Load Capacity: 500 kg (1102,3 lbs)

Order-No. 859 040 008

Jumbo 125 Super - with polyamide wheels

Load Capacity: 600 kg (1322,8 lbs)

Order-No. 859 040 009

## Furniture Carry Belt



Belt width 80 mm (3 ")

complete with heavy duty hooks and felt inlay

Pair 859 056 000

# 8 Loading Ramps

## Loading Ramp aluminium, foldable

with the help of this ramps heavy machines can be loaded safely without additional help.

For transportation the ramps can be folded and stored without using too much space.




Ramp "medium"  
Width 60 cm (23 1/2")

### Loading Ramp small


TECHNICAL SPECIFICATION	
Length	2000 mm (6' 6 3/4")
Width	400 mm (15 3/4")
Capacity	200 kg (440.9 lbs)
Own weight	16 kg (35.3 lbs)
Order-No.	111 700 950

### Loading Ramp medium

TECHNICAL SPECIFICATION	
Length	2000 mm (6' 6 3/4")
Width	600 mm (23 1/2")
Capacity	500 kg (1102.3 lbs)
Own weight	23 kg (50.7 lbs)
Order-No.	111 700 900



Ramp "big"  
Width 80 cm (31 1/2")



Ramp "small"  
Width 40 cm (15 3/4")

### Loading Ramp big

TECHNICAL SPECIFICATION	
Length	2000 mm (6' 6 3/4")
Width	800 mm (31 1/2")
Capacity	600 kg (1322.8 lbs)
Own weight	32 kg (70.5 lbs)
Order-No.	111 700 940

## Loading Ramp for Transporter steel construction, non-foldable

for RIDE-ON "Electro-  
or Battery-Version"

TECHNICAL SPECIFICATION	
Length	3000 mm (9' 10 1/8")
Width	800 mm (31 1/2")
Capacity	650 kg (1433 lbs)
Own weight	74 kg (163.1 lbs)
Order-No.	111 400 960

## Loading Ramp for Passenger Cars aluminium, foldable with foothold

for RIDE-ON "ADB-Version"

TECHNICAL SPECIFICATION	
Length	3000 mm (9' 10 1/8")
Width	1000 mm (39 3/4")
Capacity	1000 kg (2204 lbs)
Own weight	65 kg (243.3 lbs)
Order-No.	111 400 985



Steel-Ramp  
for Ride-on